

Package ‘VARSELECTEXPOSURE’

October 12, 2022

Type Package

Title Variable Selection Methods Including an Exposure Variable

Version 1.0.1

Author Alex Martinez [aut, cre],
Andrew Chapple [aut]

Maintainer Alex Martinez <ahmartinez283@gmail.com>

Description Utilizes multiple variable selection methods to estimate Average Treatment Effect and Relative Treatment Effect.

License GPL-2

Imports Rcpp (>= 0.12.18)

LinkingTo Rcpp, RcppArmadillo

Encoding UTF-8

RoxygenNote 7.2.1

NeedsCompilation yes

Repository CRAN

Date/Publication 2022-08-22 15:10:02 UTC

R topics documented:

BACKWARD_EXPOSURE	2
FORWARD_EXPOSURE	3
LIKE	5
STEPWISE_EXPOSURE	6

Index	8
--------------	----------

BACKWARD_EXPOSURE	<i>Performs deviance-based backwards variable selection in logistic regression with an exposure.</i>
-------------------	--

Description

Returns the estimated Average Treatment Effect and estimated Relative Treatment Effect calculated by the optimal model chosen via backward selection including an exposure variable.

Usage

```
BACKWARD_EXPOSURE(Data)
```

Arguments

Data	Data frame containing outcome variable (Y), exposure variable (E), and candidate covariates.
------	--

Value

List containing (1) the estimated Average Treatment Effect, (2) estimated Relative Treatment Effect, (3) summary of the selected model, and (4) the first 6 rows of the data frame containing backward-selected covariates.

References

[1] ***will contain our paper later***

Examples

```
###Generate data with n rows and p covariates, can be any number but we'll choose 1000 rows
###and 10 covariates for this example
set.seed(3)

p = 7
n = 750
beta0 = rnorm(1, mean = 0, sd = 1)
betaE = rnorm(1, mean = 0, sd = 1)
beta0_E = rnorm(1, mean = 0, sd = 1)
betaX_E = c()
betaX_Y = c()
Y = rep(NA, n)
E = rep(NA, n)
pi0 = rep(NA, n)
pi1 = rep(NA, n)
data = data.frame(cbind(Y, E, pi0, pi1))
j = round(runif(1, 0, p))
for(i in 1:p){
  betaX_Y[i] = rnorm(1, mean = 0, sd = 0.5)
```

```

    betaX_E[i] = rnorm(1, mean = 0, sd = 0.5)
  }
  zeros = sample(1:p, j, replace = FALSE)
  betaX_Y[zeros] = 0
  betaX_E[zeros] = 0
  mu = 0
  sigma = 1
  for(i in 1:p){
    covar = rnorm(n, 0, 1)
    data[,i+4] = covar
    names(data)[i+4] = paste("X", i, sep = "")
  }
  for(i in 1:n){
    p.event_E = beta0_E + sum(betaX_E*data[i,5:(p+4)])
    pi1_E = exp(p.event_E)/(1+exp(p.event_E))
    data[i,2] = rbinom(1, 1, prob = pi1_E)
  }
  for(i in 1:n){
    p.event = beta0 + betaE + sum(betaX_Y*data[i,5:(p+4)])
    p.noevent = beta0 + sum(betaX_Y*data[i,5:(p+4)])
    pi0 = exp(p.noevent)/(1+exp(p.noevent))
    pi1 = exp(p.event)/(1+exp(p.event))
    data[i,3] = pi0
    data[i,4] = pi1
    if(data[i,2] == 1){
      data[i,1] = rbinom(1, 1, prob = pi1)
    }else{
      data[i,1] = rbinom(1, 1, prob = pi0)
    }
  }
  for(i in 1:n){
    p.event_E = beta0_E + sum(betaX_E*data[i,5:(p+4)])
    pi1_E = exp(p.event_E)/(1+exp(p.event_E))
    data[i,2] = rbinom(1, 1, prob = pi1_E)
  }

  ###Raw data includes pi0 and pi1 columns used to fill Y and E, so to test
  ###the function we'll remove these

  testdata = data[,-c(3,4)]

  BACKWARD_EXPOSURE(testdata)

```

 FORWARD_EXPOSURE

Performs deviance-based forwards variable selection in logistic regression with an exposure

Description

Returns the estimated Average Treatment Effect and estimated Relative Treatment Effect calculated by the optimal model chosen via forward selection including an exposure variable.

Usage

```
FORWARD_EXPOSURE(Data)
```

Arguments

Data Data frame containing outcome variable (Y), exposure variable (E), and candidate covariates.

Value

List containing (1) the estimated Average Treatment Effect, (2) estimated Relative Treatment Effect, (3) summary of the selected model, and (4) the first 6 rows of the data frame containing forward-selected covariates.

References

[1] ***will contain our paper later***

Examples

```
###Generate data with n rows and p covariates, can be any number but we'll choose 1000 rows
###and 10 covariates for this example
set.seed(3)

p = 7
n = 750
beta0 = rnorm(1, mean = 0, sd = 1)
betaE = rnorm(1, mean = 0, sd = 1)
beta0_E = rnorm(1, mean = 0, sd = 1)
betaX_E = c()
betaX_Y = c()
Y = rep(NA, n)
E = rep(NA, n)
pi0 = rep(NA, n)
pi1 = rep(NA, n)
data = data.frame(cbind(Y, E, pi0, pi1))
j = round(runif(1, 0, p))
for(i in 1:p){
  betaX_Y[i] = rnorm(1, mean = 0, sd = 0.5)
  betaX_E[i] = rnorm(1, mean = 0, sd = 0.5)
}
zeros = sample(1:p, j, replace = FALSE)
betaX_Y[zeros] = 0
betaX_E[zeros] = 0
mu = 0
sigma = 1
for(i in 1:p){
  covar = rnorm(n, 0, 1)
  data[,i+4] = covar
  names(data)[i+4] = paste("X", i, sep = "")
}
}
```

```

for(i in 1:n){
  p.event_E = beta0_E + sum(betaX_E*data[i,5:(p+4)])
  pi1_E = exp(p.event_E)/(1+exp(p.event_E))
  data[i,2] = rbinom(1, 1, prob = pi1_E)
}
for(i in 1:n){
  p.event = beta0 + betaE + sum(betaX_Y*data[i,5:(p+4)])
  p.noevent = beta0 + sum(betaX_Y*data[i,5:(p+4)])
  pi0 = exp(p.noevent)/(1+exp(p.noevent))
  pi1 = exp(p.event)/(1+exp(p.event))
  data[i,3] = pi0
  data[i,4] = pi1
  if(data[i,2] == 1){
    data[i,1] = rbinom(1, 1, prob = pi1)
  }else{
    data[i,1] = rbinom(1, 1, prob = pi0)
  }
}
for(i in 1:n){
  p.event_E = beta0_E + sum(betaX_E*data[i,5:(p+4)])
  pi1_E = exp(p.event_E)/(1+exp(p.event_E))
  data[i,2] = rbinom(1, 1, prob = pi1_E)
}

###Raw data includes pi0 and pi1 columns used to fill Y and E, so to test
###the function we'll remove these

testdata = data[,-c(3,4)]

FORWARD_EXPOSURE(testdata)

```

 LIKE

Obtains likelihood Calculates likelihood from observed outcome data and given covariate data/parameters.

Description

Obtains likelihood Calculates likelihood from observed outcome data and given covariate data/parameters.

Usage

```
LIKE(Y, X, beta0, beta)
```

Arguments

Y	Binary outcome vector.
X	Matrix of covariates.
beta0	Intercept parameter.
beta	Vector of covariate parameters of length p.

Value

Likelihood

STEPWISE_EXPOSURE	<i>Performs deviance-based stepwise variable selection in logistic regression with an exposure</i>
-------------------	--

Description

Returns the estimated Average Treatment Effect and estimated Relative Treatment Effect calculated by the optimal model chosen via stepwise selection including an exposure variable.

Usage

STEPWISE_EXPOSURE(Data)

Arguments

Data	Data frame containing outcome variable (Y), exposure variable (E), and candidate covariates.
------	--

Value

List containing (1) the estimated Average Treatment Effect, (2) estimated Relative Treatment Effect, (3) summary of the selected model, and (4) the first 6 rows of the data frame containing stepwise-selected covariates.

Examples

```
###Generate data with n rows and p covariates, can be any number but we'll choose 1000 rows
###and 10 covariates for this example
set.seed(3)

p = 7
n = 750
beta0 = rnorm(1, mean = 0, sd = 1)
betaE = rnorm(1, mean = 0, sd = 1)
beta0_E = rnorm(1, mean = 0, sd = 1)
betaX_E = c()
betaX_Y = c()
Y = rep(NA, n)
E = rep(NA, n)
pi0 = rep(NA, n)
pi1 = rep(NA, n)
data = data.frame(cbind(Y, E, pi0, pi1))
j = round(runif(1, 0, p))
for(i in 1:p){
  betaX_Y[i] = rnorm(1, mean = 0, sd = 0.5)
  betaX_E[i] = rnorm(1, mean = 0, sd = 0.5)
}
```

```

}
zeros = sample(1:p, j, replace = FALSE)
betaX_Y[zeros] = 0
betaX_E[zeros] = 0
mu = 0
sigma = 1
for(i in 1:p){
  covar = rnorm(n, 0, 1)
  data[,i+4] = covar
  names(data)[i+4] = paste("X", i, sep = "")
}
for(i in 1:n){
  p.event_E = beta0_E + sum(betaX_E*data[i,5:(p+4)])
  pi1_E = exp(p.event_E)/(1+exp(p.event_E))
  data[i,2] = rbinom(1, 1, prob = pi1_E)
}
for(i in 1:n){
  p.event = beta0 + betaE + sum(betaX_Y*data[i,5:(p+4)])
  p.noevent = beta0 + sum(betaX_Y*data[i,5:(p+4)])
  pi0 = exp(p.noevent)/(1+exp(p.noevent))
  pi1 = exp(p.event)/(1+exp(p.event))
  data[i,3] = pi0
  data[i,4] = pi1
  if(data[i,2] == 1){
    data[i,1] = rbinom(1, 1, prob = pi1)
  }else{
    data[i,1] = rbinom(1, 1, prob = pi0)
  }
}
for(i in 1:n){
  p.event_E = beta0_E + sum(betaX_E*data[i,5:(p+4)])
  pi1_E = exp(p.event_E)/(1+exp(p.event_E))
  data[i,2] = rbinom(1, 1, prob = pi1_E)
}

###Raw data includes pi0 and pi1 columns used to fill Y and E, so to test
###the function we'll remove these

testdata = data[,-c(3,4)]

STEPWISE_EXPOSURE(testdata)

```

Index

BACKWARD_EXPOSURE, [2](#)

FORWARD_EXPOSURE, [3](#)

LIKE, [5](#)

STEPWISE_EXPOSURE, [6](#)